

## Publikationsverzeichnis Prof. Dr. med. Matthias Eck

(Nur MEDLINE gelistete Originalarbeiten)

G. Faller, H. Steininger, **M. Eck**, J. Hensen, E.G. Hahn, T. Kirchner.  
*Antigastric autoantibodies in Helicobacter pylori gastritis: prevalence, in-situ binding sites and clues for clinical relevance.*  
Virchows Arch (1996);427:483-486 (IF = 1,84).

**M. Eck**, B. Schmaußer, R. Haas, A. Greiner, S. Czub, H.K. Müller-Hermelink.  
*MALT-type Lymphoma of the Stomach Is Associated with Helicobacter pylori Strains Expressing the CagA Protein.*  
Gastroenterology 1997;112:1482-1486 (IF = 12,182).

**M. Eck**, B. Schmaußer, A. Greiner, H.K. Müller-Hermelink.  
*CagA+ H. pylori Strains and Gastric Lymphoma.*  
Gastroenterology 1997;113 (6):2023 (IF = 12,182).

**M. Eck**, A. Greiner, R. Kandolf, B. Schmaußer, A. Marx, H.K. Müller-Hermelink.  
*Active fulminant myocarditis characterized by T lymphocytes expressing the gamma-delta T-cell receptor: a new disease entity?*  
Am J Surg Pathol 1997; 21(9):1109-1112 (IF = 3,916).

**M. Eck**, H. Kreipe, D. Harmsen, H.K. Müller-Hermelink.  
*Invasion and destruction of mucosal plasma cells by *Tropheryma whippelii*.*  
Human Pathol 1997; 28 (12):1424-1428 (IF = 2,749).

P. Strecker, **M. Eck**, A. Greiner, M. Kolve, B. Schmaußer, A. Marx, W. Fischbach, C. Fellbaum und H.K. Müller-Hermelink.  
*Diagnostische Aussagekraft der Magenbiopsie im Vergleich zum Resektat bei primären gastralen B-Zell-Lymphomen vom MALT-Typ.*  
Pathologe 1998; 19:209-213 (IF = 0,423).

**M. Eck**, A. Greiner, B. Schmaußer, H. Eck, M. Kolve, W. Fischbach, P. Strecker, H.K. Müller-Hermelink.  
*Evaluation of Helicobacter pylori in gastric MALT-type lymphoma: differences between histological and serological diagnosis and their implications for clinical therapy.*  
Mod Pathol 1999 12(12):1148-51 (IF = 3,241).

**M. Eck**, B. Schmaußer, K. Scheller, A. Toksoy, M. Kraus, T. Menzel, H K. Müller-Hermelink, R. Gillitzer.  
*CXC Chemokines Groα/IL-8 and IP-10/MIG in Helicobacter pylori gastritis.*  
Clin Exp Immunol 2000;122:192-199 (IF = 2,716).

W. Fischbach, T. Jung, M. Göbeler-Kolve and **M. Eck**.  
*Comparative analysis of the Helicobacter pylori status in patients with gastric MALT-type lymphoma and their respective spouses.*  
Z Gastroenterol 2000;38:627-630 (IF = 1,076).

B. Schmaußer, **M. Eck**, A. Greiner, H.K. Müller-Hermelink.  
*High Prevalence of mucosal IgG and IgA immune response to CagA in gastric MALT-type lymphoma.*  
Virchow's Archive 2000; 436:115-118 (IF = 1,709).

B. Schmaußer, S.O. Mueller, **M. Eck**, M. Möller, H.K. Müller-Hermelink, H. Stopper.  
*Helicobacter pylori induces DNA-damage in vitro.*  
Cancer Letters 2000;152:145-149 (IF = 1,741).

S. Spreng, I. Gentschev, W. Goebel, H.J. Mollenkopf, **M. Eck**, H.K. Müller-Hermelink,  
B. Schmaußer.  
*Identification of immunogenic antigens of Helicobacter pylori via the Escherichia coli hemolysin secretion system.*  
FEMS Microbiology Letters 2000;186:251-256 (IF = 4,806).

W. Kenn, **M. Eck**, B. Allolio, F. Jakob, A. Illg, A. Marx, H.K. Müller-Hermelink,  
D. Hahn.  
*Erdheim-Chester Disease: Evidence for a disease entity different from Langerhans Cell Histiocytosis? Three cases with detailed radiological and immunohistochemical analysis.*  
Hum Pathol 2000;31(6):734-739 (IF = 3,029).

F. Hensel, S. Brändlein, **M. Eck**, K. Schmidt, V. Krenn, A. Kloetzer, A. Bachi,  
M. Mann, H.K. Müller-Hermelink, H.P. Vollmers.  
*A novel proliferation-associated variant of CFR-1 defined by a human monoclonal antibody.*  
Lab Invest 2001 Aug;81(8):1097-108 (IF = 4,0).

W. Scheppach, V. Krenn, **M. Eck**, T. Menzel, G. Burrows, H. Langenfeld.  
*Tumor cell embolism to pulmonary arteries.*  
Z Gastroenterol 2001 Aug;39(8):583-6 (IF = 1,076).

M. Beissert, W. Kenn, G. Schultz, M. Keberle, **M. Eck**, D. Hahn.  
*Hepatic angiomyoma: CT and MRI findings.*  
Abdom Imaging 2002 Jan;27(1):40-42 (IF = 0,996).

B. Schmaußer, **M. Eck**, A. Greiner, H. Lührs, H.P. Vollmers, H.K. Müller-Hermelink.  
*Disparity between mucosal and serum IgA and IgG in Helicobacter pylori infection.*  
Virchows Archive 2002;441(2):143-147 (IF = 2,357)

S. Brändlein, J. Lorenz, N. Ruoff, F. Hensel, I. Beyer, J. Muller, K. Neukam, B. Illert,  
**M. Eck**, H.K. Müller-Hermelink, H.P. Vollmers.  
*Human monoclonal IgM antibodies with apoptotic activity isolated from cancer patients.*  
Hum Antibodies 2002;11(4):107-19.

**M. Eck**, B. Schmaußer, T. Kerkau, A. Greiner, M. Kraus, M. Kolve-Goebeler,  
W. Fischbach, H.K. Müller-Hermelink.  
*Autoantibodies in gastric MALT-type lymphoma.*  
Annals of Oncol 2003;14:1153-1154 (IF = 3,605).

**M. Eck**, B. Schmaußer, K. Scheller, S. Brändlein, H.K. Müller-Hermelink.  
*Pleiotropic effects of CXC chemokines in gastric carcinoma: differences in CXCL8 and CXCL1 expression between diffuse and intestinal types of gastric carcinoma.*  
Clin Exp Immunol 2003;134 (12):508-15 (IF = 2,347).

S. Brändlein, I. Beyer, **M. Eck**, W. Bernhardt, F. Hensel, H.K. Müller-Hermelink, H.P. Vollmers.  
*Cysteine-rich fibroblast growth factor receptor 1, a new marker for precancerous epithelial lesions defined by the human monoclonal antibody PAM-1.*  
Cancer Res 2003 May 1;63(9):2052-61 (IF = 8,649).

H. Hasche, **M. Eck**, W. Lieb.  
*Immunochemical demonstration of human herpes virus 8 in conjunctival Kaposi's sarcoma.*  
Ophthalmologe 2003 Feb;100(2):142-4 (IF = 0,508).

B. Schmaußer, M. Andrusis, S. Endrich, C. Josenhans, S.K. Lee, H.K. Müller-Hermelink, **M. Eck**.  
*Expression and subcellular distribution of toll-like receptors TLR4, TLR5 and TLR9 on the gastric epithelium in Helicobacter pylori infection.*  
Clin Exp Immunol 2004 Jun;136(3):521-6 (IF = 2,347).

B. Schmaußer, C. Josenhans, S. Endrich, S. Suerbaum, C. Sitaru, M. Andrusis, P. Rieckmann, H.K. Müller-Hermelink, **M. Eck**.  
*CXCR1 and CXCR2 expression on human neutrophils is downregulated by Helicobacter pylori: a new pathomechanism in H. pylori infection?*  
Infection and Immunity 2004 Dec;72(12):6773-9 (IF = 3,875).

J. Schäuber, K. Iffland, S. Frisch, T. Kudlich, B. Schmaußer, **M. Eck**, T. Menzel, A. Gostner, H. Lührs, W. Scheppach.  
*Histone-deacytelase inhibitors induce the cathelicidin LL-37 in gastrointestinal cells.*  
Mol Immunol 2004 Jul;41(9):847-54 (IF = 2,827).

S. Brändlein, **M. Eck**, P. Strobel, E. Wozniak, H.K. Müller-Hermelink, F. Hensel, H.P. Vollmers  
*PAM-1, a natural human IgM antibody as new tool for detection of breast and prostate precursors.*  
Hum Antibodies 2004;13(4):97-104.

B. Schmaußer, S. Endrich, S. Brändlein, J. Schär, D. Beier, H.K. Müller-Hermelink, **M. Eck**.  
*The chemokine receptor CCR7 is expressed on epithelium of non-inflamed gastric mucosa, H. pylori gastritis, gastric carcinoma and its precursor lesions and up-regulated by H. pylori.*  
Clin Exp Immunol 2005 Feb;139(2):323-7 (IF = 2,518).

B. Schmaußer, M. Andrusis, S. Endrich, H.K. Müller-Hermelink, **M. Eck**.  
*Toll-like receptors TLR4, TLR5 and TLR9 on gastric carcinoma cells: an implication for interaction with Helicobacter pylori.*  
Int J Med Microbiol 2005 Jun;295(3):179-85 (IF = 2,919).

P. Adam, A. Zettl, U. Zollner, J. Dietl, H.K. Müller-Hermelink, **M. Eck**.  
*Metastasizing vulvar carcinosarcoma with squamous carcinomatous and leiomyosarcomatous differentiation: genetic evidence of clonal origin.*  
Hum Pathol 2005 Oct;36(10):1143-7 (IF = 3,369).

A. Honig, L. Rieger, P. Kristen, **M. Eck**, T. Frambach, A. Tschammler, H. Caffier, J. Dietl.  
*A case of metastasizing invasive hydatidiform mole. Is less – less good?. Review of the literature with regard to adequate treatment.*  
Eur J Gynaecol Oncol 2005;26(2):158-62 (IF = 0,509).

A. Honig, L. Rieger, F. Thanner, **M. Eck**, M. Sütterlin, J. Dietl.  
*Placenta percreta with subsequent uterine rupture at 15 weeks of gestation after two previous cesarean sections.*  
J Obstet Gynaecol Res 2005 Oct;31(5):439-43 (IF = 0,474).

J. Schäuber, D. Rieger, F. Weiler, J. Wehkamp, **M. Eck**, K. Fellermann, W. Scheppach, R.L. Gallo, E.F. Stange.  
*Heterogeneous expression of human cathelicidin hCAP18/LL-37 in inflammatory bowel disease.*  
Eur J Gastroenterol Hepatol 2006 Jun;18(6):615-21 (IF = 1,69).

A. Honig, L. Rieger, M. Kapp, M. Krockenberger, **M. Eck**, J. Dietl, U. Kaemmerer.  
*Increased tartrate-resistant acid phosphatase (TRAP) expression in malignant breast, ovarian and melanoma tissue: an investigational study.*  
BMC Cancer 2006 Jul;25(6):199 (IF = 1,992).

B. Schottker, W. Heinz, F. Weissinger, K. Sozener, **M. Eck**, J. Seufert.  
*Parathyroid hormone-related protein associated Hypercalcemia in a Patient with CLL type low grade leukemic B-cell lymphoma.*  
Haematologica 2006 Dec;91(12 Suppl): ECR45 (IF = 4,192).

H.U. Völker, M. Scheich, S. Höller, P. Ströbel, R. Hagen, H.K. Müller-Hermelink, **M. Eck**  
*Differential diagnosis of laryngeal spindle cell carcinoma and inflammatory myofibroblastic tumor – report of two cases with similar morphology.*  
Diagn Pathol. 2007; 2: 1.

H.U. Völker, M. Scheich, B. Schmausser, U. Kämmerer, **M. Eck**.  
*Overexpression of transketolase TKTL1 is associated with shorter survival in laryngeal squamous cell carcinomas.*  
Eur Arch Otorhinolaryngol. 2007 Dec;264(12):1431-6 (IF = 0,822).

T.G. Grunewald, U. Kammerer, M. Kapp, **M. Eck**, J. Dietl, E. Butt, A. Honig.  
*Nuclear localization and cytosolic overexpression of LASP-1 correlates with tumor size and nodal-positivity of human breast carcinoma.*  
BMC Cancer 2007 Oct 23;7(1):198 (IF = 2,359).

P. Adam, B. Schmaußer, M. Göbeler-Kolve, H.K. Müller-Hermelink, **M. Eck**.  
*Gastric extranodal marginal zone B-cell lymphomas of MALT type exclusively express Toll-like receptor 4 in contrast to other lymphomas infiltrating the stomach.*  
Ann Oncol. 2008 Mar;19(3):566-9 (IF = 5,179).

B. Schmaußer, S. Endrich, D. Beier, C. Burek, P. Rieckmann, H.K. Müller-Hermelink, **M. Eck**.  
*Triggering receptor expressed on myeloid cells-1 (TREM-1) expression on gastric epithelium: implication for a role of TREM-1 in innate immunity during *H. pylori* infection.*  
Clin Exp Immunol 2008;152:88-94 (IF = 2,747).

N. Kohrenhagen, **M. Eck**, S. Höller, J. Dietl.  
*Lymphoepithelioma-like carcinoma of the uterine cervix: absence of Epstein-Barr virus and high-risk human papilloma virus infection.*  
Arch Gynecol Obstet. 2008 Feb;277(2):175-8.

L.C. Horn, A. Reichert, A. Oster, S.F. Arndal, M.J. Trunk, R. Ridder, O.F. Rasmussen, K. Bjelkenkrantz, P. Christiansen, **M. Eck**, T. Lorey, V.R. Skovlund, T. Ruediger, V. Schneider, D. Schmidt.  
*Immunostaining for p16INK4a Used as a Conjunctive Tool Improves Interobserver Agreement of the Histologic Diagnosis of Cervical Intraepithelial Neoplasia.*  
Am J Surg Pathol 2008 Jan 24 (IF = 4,144).

S. Weibel, J. Stritzker, **M. Eck**, W. Goebel, A.A. Szalay  
*Colonization of experimental murine breast tumours by *Escherichia coli* K-12 significantly alters the tumour microenvironment.*  
Cell Microbiol. 2008 Feb; 10 (IF = 5.07).

B. Illert, M. Bueter, **M. Eck**.  
*Manifestation of an intra-abdominal angiosarcoma of the peritoneum 5 years after radiotherapy of an anal carcinoma.*  
Int J Colorectal Dis 2009;24(4):465-6.

H.M. Riederle, F. Schmidt, **M. Eck**, T. Meyer-ter-Vehn, G. Geerling.  
*Tumour of the conjunctiva with diffuse cicatrisation.*  
Ophthalmologe 2009 Jan;106(1):56-9.

S. Warich-Eitel, W. Fischbach, **M. Eck**.  
*Leitlinienorientierte endoskopisch- biotische Diagnostik, Überwachung und Therapie von Magen- Darm- Erkrankungen.*  
Z. Gastroenterol 2010; 48:414-419.

**M. Eck**, W. Fischbach.  
*Gastric MALT-type lymphoma: Pathology, pathogenesis, diagnostics and therapy.*  
Pathologe 2010, Mar 28.

S. Warich-Eitel, S. Rauthe, **M. Eck**.  
*Gastric leishmaniasis: A rare case of gastritis.*  
Pathologe 2010, Mar 19.

C. Platz- Baudin, T. Katzenberger, **M. Eck.**

*Microscopic colitis: histopathological review with a clinicopathological correlation.*

Pathologe 2011, Jul 32(4): 275-81.

S. Warich- Eitel, T. Katzenberger, **M. Eck.**

*Polypoid dysplasia in inflammatory bowel disease: differential diagnosis and further therapeutic approaches.*

Pathologe 2011, Jul 32(4): 282-8.#

Agaimy A, Wang LM, **Eck M**, Haller F, Chetty R.

*Loss of DOG-1 expression associated with shift from spindled to epithelioid morphology in gastric gastrointestinal stromal tumors with KIT and platelet-derived growth factor receptor α mutations.*

Ann Diagn Pathol. 2013 Apr;17(2):187-91.

Katzenberger T, Al-Taie O, Fischbach W, **Eck M.**

*Plasma cell myeloma in the stomach?*

Pathologe. 2015 Mar;36(2):193-6.

**Eck M.**

Peter Brunner

Pathologe. 2016 Nov;37(Suppl 2):259-260.

Rau TT, Atreya R, Aust D, Baretton G, **Eck M**, Erlenbach-Wünsch K, Hartmann A, Lugli A, Stöhr R, Vieth M, Wirsing AM, Zlobec I, Katzenberger T.

*Inflammatory response in serrated precursor lesions of the colon classified according to WHO entities, clinical parameters and phenotype-genotype correlation.*

J Pathol Clin Res. 2016 Feb 25;2(2):113-24.

Fischbach W, Malfertheiner P, Lynen Jansen P, Bolten W, Bornschein J, Buderus S, Glocker E, Hoffmann JC, Koletzko S, Labenz J, Mayerle J, Miehlke S, Mössner J, Peitz U, Prinz C, Selgrad M, Suerbaum S, Venerito M, Vieth M; Verantwortlich für die DGVS..

*S2k-guideline Helicobacter pylori and gastroduodenal ulcer disease.*

Z.Gastroenterol.2016Apr;54(4):327-63.